

Papers citing Scribner 850 Fuel Cell Test Systems

1. Adachi, M., Navessin, T., Xie, Z., Frisken, B., and Holdcroft, S. "Correlation of In Situ and Ex Situ Measurements of Water Permeation Through Nafion NRE211 Proton Exchange Membranes." *Journal of the Electrochemical Society*, **156**(6), B782-B790 (2009).
2. An, S. J., and Litster, S. "In Situ, Ionic Conductivity Measurement of Ionomer/Binder-Free Pt Catalyst under Fuel Cell Operating Condition." *ECS Transactions*, **58**(1), 831-839 (2013).
3. Atkinson, R. W., Hazard, M. W., Rodgers, J. A., Stroman, R. O., and Gould, B. D. "An Open-Cathode Fuel Cell for Atmospheric Flight." *Journal of The Electrochemical Society*, **164**(2), F46-F54 (2017).
4. Atkinson, R. W., Hazard, M. W., Rodgers, J. A., Stroman, R. O., and Gould, B. D. "Influence of Gas Diffusion Media Compression on Open-Cathode Fuel Cells." *Journal of The Electrochemical Society*, **166**(13), F926-F934 (2019).
5. Baker, A. M., Cai, Y., Ziegelbauer, J. M., Agyeman-Budu, D., Woll, A., Kongkanand, A., Mukundan, R., and Borup, R. L. "Development of *Operando* Confocal Microprobe X-ray Fluorescence Techniques to Measure Cation Transport in PEM Fuel Cells." *ECS Transactions*, **92**(8), 107-117 (2019).
6. Ballengee, J. B., Haugen, G. M., Hamrock, S. J., and Pintauro, P. N. "Properties and Fuel Cell Performance of a Nanofiber Composite Membrane with 660 Equivalent Weight Perfluorosulfonic Acid." *Journal of The Electrochemical Society*, **160**(4), F429-F435 (2013).
7. Barrasso, D., and Besser, R. S. "An Analytical Model of a Novel, Microfluidic PEM Fuel Cell Device." *ECS Transactions*, **41**(1), 253-265 (2011).
8. Baturina, O. A., and Swider-Lyons, K. E. "Effect of SO₂ on the Performance of the Cathode of a PEM Fuel Cell at 0.5--0.7 V." *Journal of The Electrochemical Society*, **156**(12), B1423-B1430 (2009).
9. Breitwieser, M., Klingele, M., Britton, B., Holdcroft, S., Zengerle, R., and Thiele, S. "Improved Pt-utilization efficiency of low Pt-loading PEM fuel cell electrodes using direct membrane deposition." *Electrochemistry Communications*, **60**, 168-171 (2015).
10. Breitwieser, M., Moroni, R., Schock, J., Schulz, M., Schillinger, B., Pfeiffer, F., Zengerle, R., and Thiele, S. "Water management in novel direct membrane deposition fuel cells under low humidification." *International Journal of Hydrogen Energy*, **41**, 11412-11417 (2016).
11. Brodt, M., Han, T., Dale, N., Niangar, E., Wycisk, R., and Pintauro, P. "Fabrication, In-Situ Performance, and Durability of Nanofiber Fuel Cell Electrodes." *Journal of The Electrochemical Society*, **162**(1), F84-F91 (2016).
12. Brodt, M., Wycisk, R., Dale, N., and Pintauro, P. "Power Output and Durability of Electrospun Fuel Cell Fiber Cathodes with PVDF and Nafion/PVDF Binders." *Journal of The Electrochemical Society*, **163**(5), F401-F410 (2016).
13. Brodt, M., Wycisk, R., and Pintauro, P. N. "Nanofiber Electrodes for High Power PEM Fuel Cells." *ECS Transactions*, **50**(2), 1301-1308 (2012).
14. Brodt, M., Wycisk, R., and Pintauro, P. N. "Nanofiber Electrodes with Low Platinum Loading for High Power Hydrogen/Air PEM Fuel Cells." *Journal of The Electrochemical Society*, **160**(8), F744-F749 (2013).
15. Brodt, M., Wycisk, R., Pintauro, P. N., Han, T., Dale, N., and Adjemian, K. "Nanofiber Fuel Cell Electrodes I. Fabrication and Performance with Commercial Pt/C Catalysts." *ECS Transactions*, **58**(1), 381-390 (2013).
16. Cai, Y., Ziegelbauer, J. M., Baker, A. M., Gu, W., Kukreja, R. S., Kongkanand, A., Mathias, M. F., Mukundan, R., and Borup, R. L. "Electrode Edge Cobalt Cation Migration in an Operating Fuel

- Cell: An In Situ Micro-X-ray Fluorescence Study." *Journal of The Electrochemical Society*, **165**(6), F3132-F3138 (2019).
17. Chen, C.-Y., and Lai, W.-H. "Effects of temperature and humidity on the cell performance and resistance of a phosphoric acid doped polybenzimidazole fuel cell." *Journal of Power Sources*, **195**(21), 7152-7159 (2010).
 18. Chen, R., and Guo, J. "Electrocatalysis of Oxygen Reduction Reaction and Ethanol Oxidation Reaction on "Multi-Functional" Catalysts in Alkaline Media." *ECS Transactions*, **59**(1), 379-394 (2014).
 19. Choi, P., Li, B., Agarwal, R., Pearman, B. P., Mohajeri, N., Rodgers, M., Slattery, D., Bonville, L., Kunz, H. R., and Fenton, J. M. "Effect of Equivalent Weight of Phosphotungstic Acid-Incorporated Composite Membranes on the High Temperature Operation of PEM Fuel Cells." *ECS Transactions*, **16**(2), 2157-2164 (2008).
 20. Chuang, C. K., and Yeh, T. K. "Enhanced Catalytic Efficiency and CO Tolerance of Novel Pt Nanostructures Prepared by Pulsed Electrodeposition for Methanol Oxidation." *ECS Transactions*, **61**(29), 59-66 (2014).
 21. Ding, X., Didari, S., Fuller, T. F., and Harris, T. A. L. "Effects of Annealing Conditions on the Performance of Solution Cast Nafion Membranes in Fuel Cells." *Journal of The Electrochemical Society*, **160**(8), F793-F797 (2013).
 22. Ding, X., Fuller, T. F., and Harris, T. A. L. "Effects of Annealing Conditions on the Performance of Solution Cast Nafion Membranes." *ECS Transactions*, **41**(1), 1537-1544 (2011).
 23. Epting, W., Hess, K. C., and Litster, S. "In Situ Measurement of Oxygen Partial Pressure in a Cathode Catalyst Layer." *ECS Transactions*, **33**(1), 1241-1249 (2010).
 24. Epting, W. K., and Litster, S. "An Oxygen Flux Interrupt Method and In Situ Micro-Sensor for Characterizing Oxygen Transport in PEFCs." *ECS Transactions*, **50**(2), 269-277 (2013).
 25. Fang, Z., Star, A. G., and Fuller, T. F. "Effect of Carbon Corrosion on Wettability of PEM Fuel Cell Electrodes." *Journal of The Electrochemical Society*, **166**(12), F709-F715 (2019).
 26. Garsany, Y., Atkinson, R. W., Sassin, M. B., Hjelm, R. M. E., Gould, B. D., and Swider-Lyons, K. E. "Improving PEMFC Performance Using Short-Side-Chain Low-Equivalent-Weight PFSA Ionomer in the Cathode Catalyst Layer." *Journal of The Electrochemical Society*, **165**(5), F381-F391 (2018).
 27. Garsany, Y., Gould, B. D., Baturina, O. A., and Swider-Lyons, K. E. "Comparison of the Sulfur Poisoning of PBI and Nafion PEMFC Cathodes." *Electrochemical and Solid-State Letters*, **12**(9), B138-B140 (2009).
 28. Garsany, Y., Sassin, M. B., Gould, B. D., and Swider-Lyons, K. "Fabrication and Performance of Membrane Electrode Assembly Using a Hydrophilic Pt/[TaOPO₄/VC] Electrocatalyst." *ECS Transactions*, **69**(17), 1243-1250 (2015).
 29. George, M. G., Liu, H., Banerjee, R., Ge, N., Shrestha, P., Muirhead, D., Lee, J., Chevalier, S. p., Hinebaugh, J., Messerschmidt, M., Zeis, R., Scholta, J., and Bazylak, A. "Accelerated Degradation of Polymer Electrolyte Membrane Fuel Cell Gas Diffusion Layers: Mass Transport Resistance and Liquid Water Accumulation at Limiting Current Density with in operando Synchrotron X-ray Radiography." *ECS Transactions*, **75**(14), 89-100 (2016).
 30. Gould, B. D., Baturina, O. A., and Swider-Lyons, K. E. "Deactivation of Pt/VC proton exchange membrane fuel cell cathodes by SO₂, H₂S and COS." *Journal of Power Sources*, **188**, 89-95 (2009).
 31. Gould, B. D., Garsany, Y., and Swider-Lyons, K. "Deactivation and Recovery of Pt/C with Commercial Glycol-Based Coolants in Rotating Disk Electrodes and Membrane Electrode Assemblies." *ECS Transactions*, **64**(3), 793-804 (2014).
 32. Gould, B. D., Hazard, M. W., Rodgers, J. A., and Stroman, R. O. N. "An Open Cathode Fuel Cell for Atmospheric Flight." *ECS Transactions*, **69**(17), 497-507 (2015).

33. Hack, J., Heenan, T. M. M., Iacoviello, F., Mansor, N., Meyer, Q., Shearing, P., Brandon, N., and Brett, D. J. L. "A Structure and Durability Comparison of Membrane Electrode Assembly Fabrication Methods: Self-Assembled Versus Hot-Pressed." *Journal of The Electrochemical Society*, **165**(6), F3045-F3052 (2018).
34. Hegge, F., Sharman, J., Moroni, R., Thiele, S., Zengerle, R., Breitwieser, M., and Vierrath, S. "Impact of Carbon Support Corrosion on Performance Losses in Polymer Electrolyte Membrane Fuel Cells." *Journal of The Electrochemical Society*, **166**(13), F956-F962 (2019).
35. Hess, K. C., Epting, W., Yu, S.-C., and Litster, S. "In Situ, Through-Plane Measurements of Ionic Potential in a PEMFC Catalyst Layer." *ECS Transactions*, **33**(1), 1229-1239 (2010).
36. Hinebaugh, J., Lee, J., and Bazylak, A. "Visualizing Liquid Water Evolution in a PEM Fuel Cell Using Synchrotron X-ray Radiography." *Journal of The Electrochemical Society*, **159**(12), F826-F830 (2012).
37. Hinebaugh, J., Lee, J., and Bazylak, A. "Visualizing Liquid Water Evolution in a PEM Fuel Cell Using Synchrotron Radiography." *ECS Transactions*, **50**(2), 343-352 (2013).
38. Kaspar, R. B., Letterio, M. P., Wittkopf, J. A., Gong, K., Gu, S., and Yan, Y. "Manipulating Water in High-Performance Hydroxide Exchange Membrane Fuel Cells through Asymmetric Humidification and Wetproofing." *Journal of The Electrochemical Society*, **162**(6), F483-F488 (2015).
39. Kaspar, R. B., Wittkopf, J. A., Woodroof, M. D., Armstrong, M. J., and Yan, Y. "Reverse-Current Decay in Hydroxide Exchange Membrane Fuel Cells." *Journal of The Electrochemical Society*, **163**(5), F377-F383 (2016).
40. Kaspar, R. B., and Yan, Y. "Communication: Patterned Electrodes to Increase Water Back-Diffusion in Hydroxide Exchange Membrane Fuel Cells." *Journal of The Electrochemical Society*, **163**(7), F593-F595 (2016).
41. Klingele, M., Breitwieser, M., Zengerle, R., and Thiele, S. "Direct deposition of proton exchange membranes enabling high performance hydrogen fuel cells." *Journal of Materials Chemistry A*, **3**, 11239-11245 (2015).
42. Lee, J., Banerjee, R., Ge, N., Chevalier, S. p., George, M. G., Liu, H., Shrestha, P., Muirhead, D., Hinebaugh, J., and Bazylak, A. "Performance Benefits of Multiwall Carbon Nanotubes in the Polymer Electrolyte Membrane Fuel Cell Gas Diffusion Layer." *ECS Transactions*, **75**(14), 237-244 (2016).
43. Lee, J., Banerjee, R., George, M. G., Muirhead, D., Shrestha, P., Liu, H., Ge, N., Chevalier, S., and Bazylak, A. "Multiwall Carbon Nanotube-Based Microporous Layers for Polymer Electrolyte Membrane Fuel Cells." *Journal of The Electrochemical Society*, **164**(12), F1149-F1157 (2017).
44. Lee, J., Yip, R., Antonacci, P., Ge, N., Kotaka, T., Tabuchi, Y., and Bazylak, A. "Impact of MPL Thickness on Water Management of PEMFC by Synchrotron X-ray Radiography." *ECS Transactions*, **61**(12), 69-81 (2014).
45. Lee, J., Yip, R., Antonacci, P., Ge, N., Kotaka, T., Tabuchi, Y., and Bazylak, A. "Synchrotron Investigation of Microporous Layer Thickness on Liquid Water Distribution in a PEM Fuel Cell." *Journal of The Electrochemical Society*, **162**(7), F669-F676 (2015).
46. Li, B., Choi, P., Pearman, B. P., Rodgers, M., Agarwal, R., Mohajeri, N., Linkous, C. A., Yoon, W., Huang, X., Slattery, D., Bonville, L., Kunz, H. R., and Fenton, J. M. "Low EW poly [perfluorosulfonic acids] /Phosphotungstic acid /Teflon® Supported Membrane Electrode Assemblies." *ECS Transactions*, **16**(2), 1423-1431 (2008).
47. Li, C., Liu, Y., Yu, K., Ferreira, P. J., and Xie, J. "Highly Stable Polybenzimidazole (PBI) Grafted Graphene as a Catalyst Support for Polymer Electrolyte Membrane Fuel Cells." *ECS Transactions*, **92**(8), 553-558 (2019).

48. Li, D., Pan, Y.-T., Wang, X., Wang, C., Kim, Y. S., and Spendelow, J. S. "Effect of the Catalyst Metal Content on PEMFC Durability." *ECS Transactions*, **92**(8), 589-594 (2019).
49. Litster, S., Hess, K., Epting, W., and Gelb, J. "Catalyst Layer Analysis: Nanoscale X-ray CT, Spatially-Resolved *In Situ* Microscale Diagnostics, and Modeling." *ECS Transactions*, **41**(1), 409-418 (2011).
50. Liu, H., George, M. G., Ge, N., Banerjee, R., Chevalier, S. p., Lee, J., Shrestha, P., Muirhead, D., Hinebaugh, J., Zeis, R., Messerschmidt, M., Scholta, J., and Bazylak, A. "Accelerated Degradation of Polymer Electrolyte Membrane Fuel Cell Gas Diffusion Layers: Performance Degradation and Steady State Liquid Water Distributions with in Operando Synchrotron X-ray Radiography." *ECS Transactions*, **75**(14), 289-300 (2016).
51. Liu, H., George, M. G., Messerschmidt, M., Zeis, R., Kramer, D., Scholta, J., and Bazylak, A. "Accelerated Degradation of Polymer Electrolyte Membrane Fuel Cell Gas Diffusion Layers: I. Methodology and Surface Characterization." *Journal of The Electrochemical Society*, **164**(7), F695-F703 (2017).
52. Liu, H., George, M. G., Zeis, R., Messerschmidt, M., Scholta, J., and Bazylak, A. "The Impacts of Microporous Layer Degradation on Liquid Water Distributions in Polymer Electrolyte Membrane Fuel Cells Using Synchrotron Imaging." *ECS Transactions*, **80**(8), 155-164 (2017).
53. Mehrabadi, B. A. T., Dinh, H. N., Bender, G., and Weidner, J. W. "Effect of System Contaminants on the Performance of a Proton Exchange Membrane Fuel Cell." *Journal of The Electrochemical Society*, **163**(14), F1527-F1534 (2016).
54. Omasta, T. J., Peng, X., Lewis, C. A., Varcoe, J., and Mustain, W. E. "Improving Performance in Alkaline Membrane Fuel Cells through Enhanced Water Management." *ECS Transactions*, **75**(14), 949-954 (2016).
55. Omasta, T. J., Peng, X., Miller, H. A., Vizza, F., Wang, L., Varcoe, J. R., Dekel, D. R., and Mustain, W. E. (2018). *Beyond 1.0 W cm⁻² Performance without Platinum: The Beginning of a New Era in Anion Exchange Membrane Fuel Cells*.
56. Omasta, T. J., Zhang, Y., Park, A. M., Peng, X., Pivovar, B., Varcoe, J. R., and Mustain, W. E. "Strategies for Reducing the PGM Loading in High Power AEMFC Anodes." *Journal of The Electrochemical Society*, **165**(9), F710-F717 (2018).
57. Omosebi, A., and Besser, R. S. "Patterning the Cathode Catalyst Layer - Membrane Interface of a PEMFC for Elevated Power Density." *ECS Transactions*, **41**(1), 883-889 (2011).
58. Opu, M., Bender, G., Macomber, C. S., Van Zee, J. W., and Dinh, H. N. "Understanding the Effects of PEMFC Contamination from Balance of Plant Assembly Aids Materials: In Situ Studies." *Journal of The Electrochemical Society*, **162**(9), F1011-F1019 (2015).
59. Opu, M. S., Choi, D., Ohashi, M., Shimpalee, S., and Van Zee, J. W. "Understanding Differences in the Performance of Laboratory Scale PEMFCs: I. The Effect of Active-Area." *ECS Transactions*, **33**(1), 1017-1025 (2010).
60. Patil, Y., Sambandam, S., Ramani, V., and Mauritz, K. "Model Studies of the Durability of a Titania-Modified Nafion Fuel Cell Membrane." *Journal of the Electrochemical Society*, **156**(9), B1092-B1098 (2009).
61. Peng, X., Omasta, T., Rigdon, W., and Mustain, W. E. "Fabrication of High Performing PEMFC Catalyst-Coated Membranes with a Low Cost Air-Assisted Cylindrical Liquid Jets Spraying System." *Journal of The Electrochemical Society*, **163**(14), E407-E413 (2016).
62. Pistono, A., and Rice, C. A. "The Effect of Material Properties on the Subzero Water Storage Capacity of Cathode Catalyst Layers for Proton Exchange Membrane Fuel Cells." *Journal of The Electrochemical Society*, **164**(6), F582-F590 (2017).
63. Pistono, A., Rice, C. A., Lewis, J., and Ramani, V. K. "Subzero Degradation Analysis of Membrane Electrode Assemblies Modified with Additives." *ECS Transactions*, **50**(2), 531-537 (2013).

64. Pistono, A., Rice-York, C. A., and Boovaragavan, V. "Electrochemical Impedance Spectroscopy Detection of Saturation Level in a Frozen Polymer Electrolyte Membrane Fuel Cell." *Journal of The Electrochemical Society*, **158**(2), B233-B238 (2011).
65. Poynton, S. D., Zeng, R., Kizewski, J., Ong, A. L., and Varcoe, J. R. "Development of Alkaline Exchange Ionomers for Use in Alkaline Polymer Electrolyte Fuel Cells." *ECS Transactions*, **50**(2), 2067-2073 (2013).
66. Qi, J., Xin, L., Chadderdon, D. J., Qiu, Y., Jiang, Y., Benipal, N., Liang, C., and Li, W. "Electrocatalytic selective oxidation of glycerol to tartronate on Au/C anode catalysts in anion exchange membrane fuel cells with electricity cogeneration." *Applied Catalysis B: Environmental*, **145-155**, 360-368 (2014).
67. Qi, J., Xin, L., Zhang, Z., Sun, K., He, H., Wang, F., Chadderdon, D., Qiu, Y., Liang, C., and Li, W. "Surface dealloyed PtCo nanoparticles supported on carbon nanotube: facile synthesis and promising application for anion exchange membrane direct crude glycerol fuel cell." *Green Chemistry*, **15**, 1133-1137 (2013).
68. Qiu, Y., Xin, L., Chadderdon, D. J., Qi, J., Liang, C., and Li, W. "Integrated electrocatalytic processing of levulinic acid and formic acid to produce biofuel intermediate valeric acid." *Green Chemistry* (2014).
69. Redmond, E. L., Hansen, K. U., and Berg, D. W. "Development of Water Vapor Transport Resistance Protocol and Analysis." *ECS Transactions*, **92**(8), 445-454 (2019).
70. Redmond, E. L., Trogadas, P., Alamgir, F. M., and Fuller, T. F. "The effect of Platinum Oxide Growth on Platinum Stability in PEMFCs." *ECS Transactions*, **50**(2), 1369-1376 (2012).
71. Rhoden, S. L. N. H., Linkous, C. A., Mohajeri, N., Díaz, D. J., Brooker, P., Slattery, D. K., and Fenton, J. M. "Composite Polymer Electrolyte Membranes Based on Stabilized Phosphotungstic Acid and Sulfonated Poly(etheretherketone) for Fuel Cell Applications." *Journal of The Electrochemical Society*, **157**(8), B1095-B1102 (2010).
72. Roy, S. K., and Orazem, M. E. "Graphical Estimation of Interfacial Capacitance of PEM Fuel Cells from Impedance Measurements." *Journal of the Electrochemical Society*, **156**(2), B203-B209 (2009).
73. Roy, S. K., Orazem, M. E., and Tribollet, B. "Interpretation of Low-Frequency Inductive Loops in PEM Fuel Cells." *Journal of The Electrochemical Society*, **154**(12), B1378-B1388 (2007).
74. Rui, Z., Wang, J., Li, J., Yao, Y., Huo, Y., Liu, J., and Zou, Z. "A Highly Durable Quercetin-Based Proton Exchange Membrane for Fuel Cells." *Journal of The Electrochemical Society*, **166**(7), F3052-F3057 (2019).
75. Sassin, M. B., Garsany, Y., Gould, B. D., and Swider-Lyons, K. "Impact of Compressive Stress on MEA Pore Structure and Its Consequence on PEMFC Performance." *Journal of The Electrochemical Society*, **163**(8), F808-F815 (2016).
76. Secanell, M., Putz, A., Shukla, S., Wardlaw, P., Bhaiya, M., Pant, L. M., and Sabharwal, M. "Mathematical Modelling and Experimental Analysis of Thin, Low-Loading Fuel Cell Electrodes." *ECS Transactions*, **69**(17), 157-187 (2015).
77. Setzler, B. P., and Fuller, T. F. "Investigation of Transport Phenomena in PEMFC Through 1-D Macro-Homogeneous Model." *ECS Transactions*, **58**(1), 95-107 (2013).
78. Shen, S., Han, A., Yan, X., Chen, J., Cheng, X., and Zhang, J. "Influence of Equivalent Weight of Ionomer on Proton Conduction Behavior in Fuel Cell Catalyst Layers." *Journal of The Electrochemical Society*, **166**(12), F724-F728 (2019).
79. Shimpalee, S., Lilavivat, V., Xu, H., Rowlett, J. R., Mittelsteadt, C., and Van Zee, J. W. "The Effect of Membrane Properties on Performance and Transports inside Polymer Electrolyte Membrane Fuel Cells." *Journal of The Electrochemical Society*, **165**(11), F1019-F1026 (2018).

80. Shrestha, P., Lee, C., Fahy, K. F., Balakrishnan, M., Ge, N., and Bazylak, A. "Pore-Scale Liquid Water Visualization for Understanding Water Transport in Operating Fuel Cells." *ECS Transactions*, **92**(8), 61-69 (2019).
81. Shrestha, S., Ashegi, S., Timbro, J., Lang, C. M., and Mustain, W. E. "ORR and Fuel Cell Performance of Pt Supported on N-Functionalized Mesoporous Carbon." *ECS Transactions*, **41**(1), 1183-1191 (2011).
82. Shukla, S., Domican, K., and Secanell, M. "Effect of Electrode Patterning on PEM Fuel Cell Performance using Ink-Jet Printing Method." *ECS Transactions*, **64**(3), 341-352 (2014).
83. Shukla, S., Domican, K., and Secanell, M. "Analysis of Kinetic Parameters and Effect of Pt Loading on Cell Performance of PEFC Electrodes Prepared by Inkjet Printing." *ECS Transactions*, **69**(17), 761-772 (2015).
84. Spinner, N., and Mustain, W. E. "Electrochemical Methane Activation and Conversion to Oxygenates at Room Temperature." *ECS Transactions*, **53**(23), 1-20 (2013).
85. Star, A. G., and Fuller, T. F. "FIB+SEM Tomography and Numerical Simulation of Corroded PEM Fuel Cell Cathodes." *ECS Transactions*, **69**(17), 431-441 (2015).
86. Star, A. G., and Fuller, T. F. "FIB-SEM Tomography Connects Microstructure to Corrosion-Induced Performance Loss in PEMFC Cathodes." *Journal of The Electrochemical Society*, **164**(9), F901-F907 (2017).
87. Suseendiran, S. R., Pearn-Rowe, S., and Rengaswamy, R. "Strategies for Effective Utilization of Hydrogen in Cylindrical PEM Fuel Cells." *ECS Transactions*, **80**(8), 485-496 (2017).
88. Sutrisno, J., Pramudya, I., and Fuchs, A. "Synthesis and Preparation of Composite Membranes for Direct Methanol Fuel Cells from Poly(Ether Ketone Quinolines)-Poly(Ether Ether Ketone) Blend and Nafion with Non- and Surface Coated Silicotungstic Acid." *ECS Transactions*, **35**(12), 21-31 (2011).
89. Takeuchi, N., and Fuller, T. F. "Modeling and Investigation of Carbon Loss on the Cathode Electrode during PEMFC Operation." *Journal of The Electrochemical Society*, **157**(1), B135-B140 (2010).
90. Tavakoli, B., and Weidner, J. W. "Effect of Contaminants on the Performance of a Proton Exchange Membrane Fuel Cell." *ECS Transactions*, **66**(8), 77-90 (2015).
91. Thomas, S., Kwon, O., Lee, S. C., Park, S., Choi, G. H., and Choi, J. Y. "Optimized Flow Distribution for Enhancing Temperature Uniformity across an Open Cathode PEM Fuel Cell Stack." *ECS Transactions*, **58**(1), 243-249 (2013).
92. Vega, J. A., Chartier, C., Smith, S., and Mustain, W. E. "Effect of Carbonate on Oxygen Reduction, Hydrogen Oxidation and Anion Exchange Membrane Chemical Stability." *ECS Transactions*, **33**(1), 1735-1749 (2010).
93. Vega, J. A., Ignatowich, M., Catanese, M., and Mustain, W. E. "New Cathode Catalysts for Room Temperature Carbonate Fuel Cells." *ECS Transactions*, **35**(32), 193-199 (2011).
94. Vierrath, S., Breitwieser, M., Klingele, M., Britton, B., Holdcroft, S., Zengerle, R., and Thiele, S. "The reasons for the high power density of fuel cells fabricated with directly deposited membranes." *Journal of Power Sources*, **326**, 170-175 (2016).
95. Waldrop, K., Slack, J., Gumeci, C., Dale, N., Reeves, K. S., Cullen, D. A., More, K. L., and Pintauro, P. N. "Electrospun Particle/Polymer Fiber Electrodes with a Neat Nafion Binder for Hydrogen/Air Fuel Cells." *ECS Transactions*, **92**(8), 595-602 (2019).
96. Wang, C., Cheng, X., Yan, X., Shen, S., Ke, C., Wei, G., and Zhang, J. "Respective Influence of Ionomer Content on Local and Bulk Oxygen Transport Resistance in the Catalyst Layer of PEMFCs with Low Pt Loading." *Journal of The Electrochemical Society*, **166**(4), F239-F245 (2019).
97. Wang, T., Shi, L., Wang, J., Zhao, Y., Setzler, B. P., Rojas-Carbonell, S., and Yan, Y. "High-Performance Hydroxide Exchange Membrane Fuel Cells through Optimization of Relative

- Humidity, Backpressure and Catalyst Selection." *Journal of The Electrochemical Society*, **166**(7), F3305-F3310 (2019).
98. Wang, Z., Xin, L., Zhao, X., Qiu, Y., Zhang, Z., Baturina, O. A., and Li, W. "Carbon supported Ag nanoparticles with different particle size as cathode catalysts for anion exchange membrane direct glycerol fuel cells." *Renewable Energy*, **62**, 556-562 (2014).
 99. Wehkamp, N., Breitwieser, M., Büchler, A., Klingele, M., Zengerle, R., and Thiele, S. "Directly deposited Nafion/TiO₂ composite membranes for high power medium temperature fuel cells." *RSC Advances*, **6**, 24261-24266 (2016).
 100. Xie, Z., Zhao, X. S., Gazzarri, J., Wang, Q., Navessin, T., and Holdcroft, S. "Identification of Dominant Transport Mechanisms in PEMFC Cathode Catalyst Layers Operated under Low RH." *ECS Transactions*, **25**(1), 1187-1192 (2009).
 101. Xin, L., Zhang, Z., Qi, J., Chadderdon, D., and Li, W. "Electrocatalytic oxidation of ethylene glycol (EG) on supported Pt and Au catalysts in alkaline media: Reaction pathway investigation in three-electrode cell and fuel cell reactors." *Applied Catalysis B: Environmental*, **125**, 85-94 (2012).
 102. Xin, L., Zhang, Z., Wang, Z., and Li, W. "Simultaneous Generation of Mesoxalic Acid and Electricity from Glycerol on a Gold Anode Catalyst in Anion-Exchange Membrane Fuel Cells." *ChemCatChem*, **4**, 1105-1114 (2012).
 103. Xin, L., Zhang, Z., Wang, Z., Qi, J., and Li, W. "Carbon supported Ag nanoparticles as high performance cathode catalyst for H₂/O₂ anion exchange membrane fuel cell." *Frontiers in Chemistry*, **1**, 1-5 (2013).
 104. Yip, R., Lee, J., Hinebaugh, J., Fishman, Z., Ellis, J. S., Botelho, S. J., Kotaka, T., Tabuchi, Y., and Bazylak, A. "(Plenary) Advanced Visualization Tools to Investigate PEM Fuel Cell Materials." *ECS Transactions*, **64**(3), 27-45 (2014).
 105. Zhang, L., Porter, T., Guillory, S., Chi, C., and Arges, C. G. "Patterning Polymer Electrolyte Membrane for Fuel Cell and Electrolysis Applications." *ECS Transactions*, **77**(11), 1325-1335 (2017).
 106. Zhang, Z., Xin, L., and Li, W. "Electrocatalytic oxidation of glycerol on Pt/C in anion-exchange membrane fuel cell: Cogeneration of electricity and valuable chemicals." *Applied Catalysis B: Environmental*, **119-120**, 40-48 (2012).
 107. Zhao, D., Shui, J., Grabstanowicz, L., and Liu, D.-J. "A Versatile Preparation of Highly Active ZIF-Based Non-PGM Catalysts through Solid State Synthesis." *ECS Transactions*, **64**(3), 253-260 (2014).
 108. Zheng, Y., Omasta, T. J., Peng, X., Wang, L., Varcoe, J. R., Pivovar, B. S., and Mustain, W. E. "Quantifying and elucidating the effect of CO₂ on the thermodynamics, kinetics and charge transport of AEMFCs." *Energy & Environmental Science*, **12**, 2806-2819 (2019).
 109. Zhou, J., Stanier, D., Putz, A., and Secanell, M. "A Mixed Wettability Pore Size Distribution Based Mathematical Model for Analyzing Two-Phase Flow in Porous Electrodes: II. Model Validation and Analysis of Micro-Structural Parameters." *Journal of The Electrochemical Society*, **164**(6), F540-F556 (2017).
 110. Zhu, X., Martin, Z., Clark, K. T., Brecht, T., Potrekar, R. A., Burgess, S., and Kerr, J. B. "Ionic-Crosslinked Interpenetrating Polymer Network (IPN) Membranes for Anhydrous High Temperature Polymer Electrolyte Fuel Cells Based on PFSA Ionomer and Functionalized Polysiloxane." *ECS Transactions*, **41**(1), 2135-2145 (2011).